

004 Boiogito

No.	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio						
												Shionomeium Stem and Rhizome	Astragalus Root	Arctiodes Rhizome	Arctiodes Rhizome	Ginger	Jujube	Glycyrrhiza
1	Revised: Jun 2007 (4th version)	Honzo Boiogito Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4145 Oct 1986 Oct 1986	7.5	3.2	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H20	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	5.0	5.0	3.0	1.0	3.0	1.5	
2	Revised: Apr 2016 (4th version)	JPS Boiogito Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	62AM-0479 Oct 1987 Oct 1987	7.5	2.8	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-20)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	5.0	5.0	3.0	1.0	3.0	1.5	
3	Revised: Nov 2016 (5th version)	JUNKOU Boiogito FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00376000 Oct 1986 Oct 1986	6.0	3.55	Corn Starch, Lactose Hydrate	Fine granules	FC 20	A	before or between meals, 2 or 3 times	168g (2.0g x 84 packets)	5.0	5.0	3.0	1.0	3.0	1.5	
4	Revised: Nov 2007 (6th version)	Kotaro Boiogito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3959 Oct 1986 Oct 1986	7.5	4.8	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N20	B	before or between meals, 2 or 3 times	500g 2.5g x 189 packets (472.5g) 2.5g x 42 packets (105g)	5.0	5.0	3.0	0.8	3.0	1.5	
5	Revised: May 2017 (3rd version)	Kracie Boiogito Extract Fine Granules Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00625000 Jul 2007 Jul 2007	7.5	3.2	JP Magnesium Stearate, JP Light Anhydrous Silicic Acid, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-20 3.75g EK-20 2.5g	A	before or between meals, 2 or 3 times	3.75g x 28 packets 3.75g x 168 packets 2.5g x 42 packets 2.5g x 294 packets 500g	5.0	5.0	3.0	1.0	3.0	1.5	
6	Revised: May 2017 (3rd version)	Kracie Boiogito Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00614000 Jul 2007 Jul 2007	5.94 (18 tablets)	3.2	JP Magnesium Stearate, JP Talc, JP Light Anhydrous Silicic Acid, JP Carmellose Calcium, JP Microcrystalline Cellulose, Magnesium Hydroxide-Aluminium Hydroxide Co-Precipitate	Tablets	(EKT-20)	A	before or between meals, 2 or 3 times	252 tablets (3 tablets x 6 packets x 14 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	5.0	5.0	3.0	1.0	3.0	1.5	
7	Revised: Apr 2016 (4th version)	Matsuura Boiogito Extract Granules Matsuura Yakugyo Co., Ltd.	(61AM)4047 Oct 1986 Oct 1986	6.0	viscous extract 6.2*	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	20, Matsuura	A	before or between meals, 2 or 3 times	500g 2g x 84 packets 2g x 300 packets	5.0	5.0	3.0	1.0	3.0	1.5	
8	Oct 2005 (1st version)	OHSUGI Boiogito Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3872 Oct 1986 Oct 1986	7.5	3.8	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-20	A	before or between meals, 2 or 3 times	500g 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	5.0	5.0	3.0	1.0	3.0	1.5	
9	Revised: May 2011 (5th version)	Taikodo Boiogito Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(61AM)4824 Oct 1987 Oct 1987	7.5	4.51	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-20	A	before or between meals, 3 times	500g 2.5g x 84 packets 2.5g x 252 packets	5.0	5.0	3.0	1.0	3.0	1.5	
10	Revised: Aug 2017 (7th version)	TEIKOKU Boiogito Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3703 Oct 1987 Oct 1987	7.5	3.02	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 20	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	5.0	5.0	3.0	1.0	3.0	1.5	
11	Revised: May 2007 (5th version)	TSUMURA Boiogito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3279 Oct 1986 Oct 1986	7.5	3.75	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/20	C	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	5.0	5.0	3.0	1.0	3.0	1.5	

*: correspond to 3.1g of dry extract

Table of Indications

A	The following symptoms of those patients with a white-complexion who are easily fatigued and perspire profusely: Obesity (with soft muscles and a flabby constitution), arthralgia, and edema
B	The following symptoms of those patients with a white-complexion, flabby constitution who are easily fatigued, perspire profusely and develop edema: Arthritis, rheumatoid arthritis, obesity, and hyperhidrosis
C	The following symptoms of those patients with a white-complexion, soft muscles, a flabby constitution who are easily fatigued, perspire profusely, do not excrete enough urine, and develop edema in the lower limbs and swelling and pain of the knee joint: Nephritis, nephrosis, nephropathy of pregnancy, hydrocele testis, obesity, arthritis, carbuncle, furuncle, myositis, edema, dermatosis, hyperhidrosis, and menstrual irregularity