

028 Goshuyuto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio			
												Euodia Fruit	Jujube	Ginseng	Ginger
1	Revised: Mar 2017 (4th version)	<b>JUNKOU Goshuyuto FC Extract Fine Granules for Ethical Use</b> Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00378000 Oct 1986 Oct 1986	6.0	2.8	Corn Starch, Lactose Hydrate	Fine granules	FC 31	A-1	before or between meals, 2 or 3 times	336g (2.0g x 168 packets)	4.0	3.0	3.0	1.5
2	Revised: Jul 2013 (6th version)	<b>Kotaro Goshuyuto Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)4037 Oct 1986 Oct 1986	7.5	4.5	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N31	B	before or between meals, 2 or 3 times	500g 2.5g x 189 packets (472.5g) 2.5g x 42 packets (105g)	3.0	4.0	2.0	1.0
3	Revised: Jul 2013 (4th version)	<b>Taikodo Goshuyuto Extract Granules</b> Taikoseido Pharmaceutical Co., Ltd.	(62AM)0100 Oct 1987 Oct 1987	7.5	3.55	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-31	A-2	before or between meals, 3 times	500g 2.5g x 84 packets 2.5g x 252 packets	3.0	4.0	2.0	1.5
4	Revised: Jul 2013 (7th version)	<b>TSUMURA Goshuyuto Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)1119 Oct 1986 Oct 1986	7.5	2.25	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/31	C	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	3.0	4.0	2.0	1.5

Table of Indications

A-1	The following symptoms of those patients with distended stomach pit who have cold hands and feet: Headache, nausea accompanying headache, and hiccup
A-2	The following symptoms of those patients with distended stomach pit who have cold hands and feet: Nausea accompanying headache, and hiccup
B	The following symptoms of those patients with poor circulation accompanied by headache and feeling of pressure and heaviness in the stomach accompanied by nausea or vomiting: Hiccups, migraine, paroxymal headache, and vomiting
C	The following symptoms of those patients with a moderately or less strong constitution who easily have cold hands and feet: Habitual migraine, habitual headache, vomiting, and cardiac beriberi