

029 Hachimijogan

No.	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio										
												Rehmannia Root	Cornus Fruit	Dioscorea Rhizome	Alisma Tuber	Poria Sclerotium	Moutan Bark	Cinnamon Bark	Processed Aconite Root	Processed Aconite Root 2	Powdered Processed Aconite Root	Powdered Processed Aconite Root 2
1	Revised: Nov 2011 (6th version)	<b>Honzo Hachimiganryo Extract Granules-M</b> Honzo Pharmaceutical Co., Ltd.	(61AM)4157 Oct 1986 Oct 1986	7.5	4.4	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H07	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	5.0	3.0	3.0	3.0	3.0	3.0	1.0			1.0	
2	Revised: Nov 2010 (6th version)	<b>JPS Hachimijoganryo Extract Granules for Ethical Use</b> JPS Pharmaceutical Co., Ltd.	61AM-4195 Oct 1986 Nov 1986	7.5	4.6	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-07)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	5.0	3.0	3.0	3.0	3.0	3.0	1.0			1.0	
3	Revised: Mar 2011 (7th version)	<b>Kotaro Hachimiganryo Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)3832 Oct 1986 Oct 1986	9.0	5.3	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N7	B	before or between meals, 2 or 3 times	500g 3.0g x 168 packets (504g) 3.0g x 42 packets (126g)	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
4	Revised: Mar 2011 (4th version)	<b>Kracie Hachimijoganryo Extract Fine Granules</b> Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3522 Jul 2007 Jul 2007	6.0	5.2	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-7 3.0g EK-7 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
5	Revised: Mar 2011 (3rd version)	<b>Kracie Hachimijoganryo Extract Tablets</b> Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00642000 Jul 2007 Jul 2007	7.218 (18 tablets)	5.2	JP Honey, JP Synthetic Aluminum Silicate, JP Magnesium Stearate, JP White Soft Sugar, JP Hypromellose Phthalate, JP Hypromellose, JP Macrogol 6000	Tablets (Film-coated tablets)	(EKT-7)	A	before or between meals, 2 or 3 times	252 tablets (3 tablets x 6 packets x 14 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
6	Revised: Jan 2022 (1st version of new form)	<b>OHSUGI Hachimijoganryo Extract Granules G</b> Ohsugi Pharmaceutical Co., Ltd.	16100AMZ03901000 - Oct 1986	7.5	4.6	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-07	A	before or between meals, 2 or 3 times	500g[bottle] 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
7	Revised: Jan 2022 (1st version of new form)	<b>OHSUGI Hachimijoganryo Extract T Tablets</b> Ohsugi Pharmaceutical Co., Ltd.	16100AMZ04186000 - Oct 1986	5.94 (18 tablets)	4.6	Microcrystalline Cellulose, Magnesium Aluminometasilicate, Carmellose Calcium, Magnesium Stearate, Hypromellose, Titanium Oxide, Food Yellow No.5, Food Blue No.1, Food Red No.3	Tablets (Film-coated tablets)	SG-07T	A	before or between meals, 2 or 3 times	1,764 tablets (6 tablets x 294 packets) 504 tablets (6 tablets x 84 packets)	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
8	Revised: Mar 2022 (1st version of new form)	<b>SANWA Hachimijoganryo Extract Fine Granules</b> Sanwa Shoyaku Co., Ltd.	16100AMZ03622000 - Nov 1986	9.0	6.0	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-04	C	before or between meals, 3 times	500g[bottle] 3.0g x 300 packets	5.0	3.0	3.0	3.0	3.0	3.0	1.0	1.0			
9	Revised: Aug 2017 (10th version)	<b>TEIKOKU Hachimigan Extract Granules</b> Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(62AM)0060 Jul 1988 Jul 1988	9.0	4.6	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 7	A	before or between meals, 3 times	500g 3.0g x 42 packets 3.0g x 252 packets	5.0	3.0	3.0	3.0	3.0	3.0	1.0				1.0
10	Revised: Oct 2014 (7th version)	<b>TSUMURA Hachimijogan Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)3285 Oct 1986 Oct 1986	7.5	4.0	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/7	D	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	6.0	3.0	3.0	3.0	3.0	2.5	1.0				0.5
11	Revised: Nov 2021 (3rd version)	<b>UCHIDA Hachimigan Pills Medical</b> Uchida Wakanyaku Ltd.** Kracie Pharmaceutical, Ltd.	15400AMZ01251000 Aug 1981 Sep 1981	6.0 (60 pills)	0*	JP Honey	Pills	EK-700	A	before or between meals, 3 times	5000 pills 840 pills(20 x 42 packets ) 5040pills(20 x 252 packets )	8.0	4.0	4.0	3.0	3.0	3.0	1.0			1.0	

\*: It is a crude drug powder (5.128g/day) and not an extract preparation.

\*\* : UCHIDA Hachimigan Pills Medical is now sold by only Kracie Pharmaceutical, Ltd.

Table of Indications

A	The following symptoms of those patients with decreased urine volume or polyuria sometimes having dry mouth who are easily fatigued and easily feel cold in the extremities: Leg pain, low back pain, numbness, blurred vision in old patients, pruritus, dysuria, frequent urination, and edema
B	The following symptoms of those patients with severe fatigue or malaise, alternative cold and hot feeling in the extremities, low back pain, thirst, increased urinary frequency, decreased urinary output and feeling of residual urine or increased urinary output, especially nocturnal polyuria: Thirst due to increased blood sugar, diabetes mellitus, arteriosclerosis, chronic nephritis, nephrosis, renal atrophy, bladder catarrh, edema, impotence, sciatica, postpartum beriberi, climacteric disturbance, senile eczema, and hypotension
C	The following symptoms of those patients who have soft and weak abdomen, coldness and pain in the low back, decreased urinary output or increased urinary frequency, hot feeling in the body or the extremities: Chronic nephritis, diabetes mellitus, edema, edema with beriberi, cystorrhoea, low back pain, frozen shoulder, and shoulder stiffness
D	The following symptoms of those patients with severe fatigue or malaise, decreased urinary output or increased urinary frequency, dry mouth, and alternate cold and hot feeling in the extremities: Nephritis, diabetes mellitus, impotence, sciatica, low back pain, beriberi, cystorrhoea, prostatic hypertrophy, and hypertension