

032 Hangekobokuto

No.	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio					
												Pinellia Tuber	Poria Sclerotium	Magnolia Bark	Perilla Herb	Ginger	Fresh Ginger
1	Revised: May 2019 (5th version)	Honzo Hangekobokuto Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4160 Oct 1986 Oct 1986	7.5	2.0	Lactose Hydrate, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H16	A-1	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	6.0	5.0	3.0	2.0	1.0	
2	Revised: May 2019 (6th version)	JPS Hangekobokuto Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	61AM-4764 Oct 1987 Oct 1987	7.5	2.2	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-16)	A-1	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	6.0	5.0	3.0	3.0	1.0	
3	Revised: May 2019 (5th version)	JUNKOU Hangekobokuto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00372000 Oct 1986 Oct 1986	4.5	2.0	Corn Starch, Lactose Hydrate	Fine granules	FC 16	A-1	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)	6.0	5.0	3.0	2.0	1.0	
4	Revised: May 2019 (6th version)	Kotaro Hangekobokuto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3833 Oct 1986 Oct 1986	6.0	2.2	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N16	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	6.0	5.0	3.0	2.0	1.0	
5	Revised: May 2019 (4th version)	Kracie Hangekobokuto Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3848 Jul 2007 Jul 2007	6.0	1.5	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-16 3.0g EK-16 2.0g	A-1	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	6.0	5.0	3.0	2.0	1.3	
6	Revised: May 2019 (4th version)	Kracie Hangekobokuto Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00641000 Jul 2007 Jul 2007	3.6 (12 tablets)	1.5	JP Povidone, JP Synthetic Aluminum Silicate, JP Carmellose Calcium, JP Magnesium Stearate, JP Microcrystalline Cellulose	Tablets	(EKT-16)	A-1	before or between meals, 2 or 3 times	168 tablets (4 tablets x 3 packets x 14 sheets) 1,764 tablets (4 tablets x 3 packets x 147 sheets)	6.0	5.0	3.0	2.0	1.3	
7	Revised: May 2019 (3rd version)	OHSUGI Hangekobokuto Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3877 Oct 1986 Oct 1986	3.0	1.4	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-16	A-2	before or between meals, 2 or 3 times	500g 294g (1.0g x 294 packets) 84g (1.0g x 84 packets)	6.0	5.0	3.0	2.0	1.0	
8	Revised: May 2019 (2nd version)	OHSUGI Hangekobokuto Extract T Tablets Ohsugi Pharmaceutical Co., Ltd.	(61AM)4187 Oct 1986 Oct 1986	3.72 (12 tablets)	1.4	Microcrystalline Cellulose, Magnesium Aluminometasilicate, Carmellose Calcium, Magnesium Stearate, Hypromellose, Titanium Oxide, Food Yellow No.5 Aluminium Lake, Food Blue No.1 Aluminium Lake, Food Red No.3 Aluminium Lake	Tablets (Film-coated tablets)	SG-16T	A-1	before or between meals, 2 or 3 times	1,176 tablets (4 tablets x 294 packets) 336 tablets (4 tablets x 84 packets)	6.0	5.0	3.0	2.0	1.0	
9	Revised: May 2019 (5th version)	SANWA Hangekobokuto Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3627 Oct 1986 Nov 1986	4.5	2.6	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-13	C	before or between meals, 3 times	500g 1.5g x 300 packets	6.0	5.0	3.0	2.0	1.0	
10	Revised: May 2019 (6th version)	Taikodo Hangekobokuto Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(62AM)0098 Oct 1987 Oct 1987	4.5	3.0	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-16	A-1	before or between meals, 3 times	500g 1.5g x 84 packets 1.5g x 336 packets	6.0	5.0	3.0	3.0	1.0	
11	Revised: May 2019 (8th version)	TEIKOKU Hangekobokuto Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3690 Oct 1987 Oct 1987	7.5	1.61	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 16	A-1	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	6.0	5.0	3.0	2.0	1.5	
12	Revised: May 2019 (5th version)	Toyo Hangekobokuto Extract Fine Granules Toyo Yakuko Co., Ltd.	(63AMY)0046 Jul 1988 Oct 1988	6.0	3.0	Corn Starch	Fine granules	TY-093	A-1	on empty stomach, 3 times	500g 2.0g x 252 packets	6.0	5.0	3.0	2.0	4.0	
13	Revised: May 2019 (6th version)	TSUMURA Hangekobokuto Extract Granules for Ethical Use Tsumura & Co.	(61AM)3263 Oct 1986 Oct 1986	7.5	2.5	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/16	D	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	6.0	5.0	3.0	2.0	1.0	

Table of Indications

A-1	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing and hoarseness
A-2	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, gastrointestinal neurosis, hyperemesis gravidarum, coughing and hoarseness
B	The following symptoms of those patients with mental disequilibrium, blocked feeling from the throat to chest, and feeling of fullness in the stomach sometimes accompanied by usually weak digestive function, nausea, and vomiting: Bronchitis, hoarseness, paroxysmal cough, bronchial asthma, neurotic esophageal stenosis, weak stomach, cardiac asthma, neurosis, neurasthenia, phobia, insomnia, morning sickness, other vomiting syndrome, climacteric neurosis, edema, and neurologic headache
C	The following symptoms of those patients who have anxiety, blocked feeling from the throat to chest, epigastric discomfort, insomnia, phobia, anorexia, coughing, etc.: Bronchial asthma, bronchitis, pertussis, hyperemesis gravidarum, hoarseness, gastric neurosis, climacteric neurosis, nervous pharyngalgia, and neurosis
D	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing, hoarseness, nervous oesophageal stricture, and insomnia