

049 Kakkontokasenkyushin'i

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio										
												Pueraria Root	Ephedra Herb	Jujube	Cinnamon Bark	Cinnamon Twig	Peony Root	Glycyrrhiza	Ginger	Fresh Ginger	Curdium Rhizome	Magnolia Flower
1	Revised: Jun 2009 (4th version)	<b>Honzo Kakkontokasenkyushin'i Extract Granules-M</b> Honzo Pharmaceutical Co., Ltd.	(61AM)4153 Oct 1986 Oct 1986	7.5	4.2	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H02	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
2	Revised: Dec 2014 (5th version)	<b>JPS Kakkontokasenkyushin'i Extract Granules for Ethical Use</b> JPS Pharmaceutical Co., Ltd.	61AM-4762 Oct 1987 Oct 1987	7.5	4.6	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-02)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
3	Revised: Jan 2008 (6th version)	<b>Kotaro Kakkontokashin'isenkyu Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)3819 Oct 1986 Oct 1986	9.0	5.8	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N2	B	before or between meals, 2 or 3 times	500g 3.0g x 168 packets (504g) 3.0g x 42 packets (126g)	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
4	Revised: Mar 2015 (3rd version)	<b>Kracie Kakkontokasenkyushin'i Extract Fine Granules</b> Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3514 Jul 2007 Jul 2007	7.5	4.7	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-2 3.75g EK-2 2.5g	A	before or between meals, 2 or 3 times	3.75g x 28 packets 3.75g x 168 packets 2.5g x 42 packets 2.5g x 294 packets 500g	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
5	Revised: Mar 2015 (3rd version)	<b>Kracie Kakkontokasenkyushin'i Extract Tablets</b> Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00619000 Jul 2007 Jul 2007	5.94 (18 tablets)	4.0	JP Sodium Lauryl Sulfate, JP Magnesium Stearate, JP Carmellose Calcium, JP Light Anhydrous Silicic Acid, Magnesium Hydroxide-Aluminium Hydroxide Co-Precipitate	Tablets	(EKT-2)	A	before or between meals, 2 or 3 times	252 tablets (3 tablets x 6 packets x 14 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
6	Oct 2005 (1st version)	<b>OHSUGI Kakkontokasenkyushin'i Extract Granules G</b> Ohsugi Pharmaceutical Co., Ltd.	(61AM)3881 Oct 1986 Oct 1986	7.5	4.2	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-02	A	before or between meals, 2 or 3 times	500g 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
7	Revised: Aug 2017 (6th version)	<b>TEIKOKU Kakkontokasenkyushin'i Extract Granules</b> Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co.,Ltd.	(61AM)3671 Oct 1987 Oct 1987	9.0	3.98	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 2	A	before meals, 3 times	500g 3.0g x 42 packets 3.0g x 252 packets	4.0	4.0	3.0	2.0	/	2.0	2.0	1.0	/	3.0	3.0
8	Revised: Jan 2014 (5th version)	<b>Toyo Kakkontokasenkyushin'i Extract Fine Granules</b> Toyo Yakuko Co., Ltd.	(61AMY)0389 Oct 1986 Dec 1986	6.0	4.0	Corn Starch	Fine granules	TY-014	A	on empty stomach, 3 times	500g 2.0g x 252 packets	4.0	3.0	3.0	/	2.0	2.0	2.0	/	3.0	3.0	3.0
9	Revised: Mar 2013 (6th version)	<b>TSUMURA Kakkontokasenkyushin'i Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)1122 Oct 1986 Oct 1986	7.5	4.0	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/2	A	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	4.0	3.0	3.0	2.0	/	2.0	2.0	1.0	/	2.0	2.0

Table of Indications

A	Nasal obstruction, empyema, and chronic rhinitis
B	Empyema, chronic rhinitis, and nasal congestion