

051 Kamikihito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio																
												Ginseng	Arctiodes Rhizome	Arctiodes Lancea	Poria Sclerotium	Jujube Seed	Longan Arit	Astragalus Root	Japanese Angelica Root	Polygala Root	Bupleurum Root	Gardenia Fruit	Glycyrrhiza	Saussurea Root	Jujube	Ginger	Fresh Ginger	Moutan Bark
1	Revised: Feb 2018 (4th version)	Kracie Kamikihito Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3506 Jul 2007 Jul 2007	7.5	5.6	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Light Anhydrous Silicic Acid, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-49 3.75g EK-49 2.5g	A	before or between meals, 2 or 3 times	3.75g x 28 packets 3.75g x 168 packets 2.5g x 42 packets 2.5g x 294 packets 500g	3.0	3.0	/	3.0	3.0	3.0	2.0	2.0	1.5	3.0	2.0	1.0	1.0	1.5	0.5	/	/
2	Revised: Feb 2018 (4th version)	Kracie Kamikihito Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00633000 Jul 2007 Jul 2007	8.91 (27 tablets)	6.0	JP Magnesium Stearate, JP Carmellose Calcium, JP Light Anhydrous Silicic Acid, JP Microcrystalline Cellulose	Tablets	(EKT-49)	A	before or between meals, 2 or 3 times	378 tablets (3 tablets x 6 packets x 21 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	3.0	3.0	/	3.0	3.0	3.0	2.0	2.0	1.5	3.0	2.0	1.0	1.0	1.5	0.5	/	/
3	Revised: Feb 2018 (2nd version)	OHSUGI Kamikihito Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3882 Oct 1986 Oct 1986	12.0	5.5	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-137	A	before or between meals, 2 or 3 times	500g 1,176g (4.0g x 294 packets) 336g (4.0g x 84 packets)	3.0	/	3.0	3.0	3.0	3.0	2.0	2.0	1.0	3.0	2.0	1.0	1.0	1.0	1.0	/	/
4	Revised: Feb 2018 (5th version)	Taikodo Kamikihito Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(61AM)3919 Oct 1986 Nov 1986	7.5	5.18	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-137	A	before or between meals, 3 times	500g 2.5g x 84 packets 2.5g x 252 packets	3.0	3.0	/	3.0	3.0	3.0	3.0	2.0	2.0	3.0	2.0	1.0	1.0	2.0	0.5	/	2.0
5	Revised: Feb 2018 (7th version)	Toyo Kamikihito Extract Fine Granules Toyo Yakuko Co., Ltd.	(61AMY)0411 Oct 1987 Dec 1987	9.0	6.0	Corn Starch	Fine granules	TY-015	A	on empty stomach, 3 times	500g 3.0g x 252 packets	3.0	3.0	/	3.0	3.0	3.0	3.0	2.0	2.0	3.0	2.0	1.0	1.0	2.0	/	1.5	2.0
6	Revised: Feb 2018 (6th version)	TSUMURA Kamikihito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3315 Oct 1986 Oct 1986	7.5	5.0	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/137	A	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	3.0	/	3.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	2.0	1.0	1.0	2.0	1.0	/	/

Table of Indications

A	The following symptoms of those patients with delicate constitution and a poor complexion: Anemia, insomnia, mental anxiety, and neurosis
---	--