

055 Keihito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio									
												Ginseng	Arctylodes Rhizome	Arctylodes Lancea Rhizome	Poria Sclerotium	Nelumbo Seed	Dioscorea Rhizome	Crataegus Fruit	Citrus Unshiu Peel	Alisma Tuber	Glycyrrhiza
1	Revised: Oct 2009 (6th version)	<b>Toyo Keihito Extract Fine Granules</b> Toyo Yakuko Co., Ltd.	(61AMY)0478 Oct 1987 Dec 1987	7.5	4.8	Corn Starch	Fine granules	TY-035	A	on empty stomach, 3 times	500g 2.5g x 252 packets	3.0	4.0	/	4.0	3.0	3.0	2.0	2.0	2.0	1.0
2	Revised: Mar 2013 (5th version)	<b>TSUMURA Keihito Extract Granules for Ethical Use</b> Tsumura & Co.	(62AM)576 Oct 1987 Oct 1987	7.5	4.75	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/128	A	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	3.0	/	4.0	4.0	3.0	3.0	2.0	2.0	2.0	1.0

**Table of Indications**

A	The following symptoms of those patients who are thin and have a bad complexion, anorexia, and tendency to diarrhea: Weak digestive system, chronic gastroenteritis, dyspepsia, and diarrhea
---	---