

069 Keishito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio				
												Cinnamon Bark	Peony Root	Jujube	Ginger	Glycyrrhiza
1	Revised: Jun 2009 (4th version)	<b>Honzo Keishito Extract Granules-S</b> Honzo Pharmaceutical Co., Ltd.	(62AM)0486 Mar 1988 Mar 1988	7.5	2.2	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	H45	A	before or between meals, 2 or 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	4.0	4.0	4.0	1.5	2.0
2	Revised: Mar 2006 (3rd version)	<b>JPS Keishito Extract Granules for Ethical Use</b> JPS Pharmaceutical Co., Ltd.	61AM-4797 Jul 1988 Aug 1988	7.5	3.8	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-45)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	4.0	4.0	4.0	1.0	2.0
3	Revised: Nov 2007 (5th version)	<b>Kotaro Keishito Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)3805 Oct 1986 Oct 1986	6.0	4.0	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N45	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	4.0	4.0	4.0	1.0	2.0
4	Revised: Apr 2016 (3rd version)	<b>Matsuura Keishito Extract Granules</b> Matsuura Yakugyo Co., Ltd.	(61AM)4041 Oct 1987 Oct 1987	4.5	2.2	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	45, Matsuura	A	before or between meals, 2 or 3 times	500g 1.5g x 84 packets 1.5g x 300 packets	4.0	4.0	4.0	1.0	2.0
5	Oct 2005 (1st version)	<b>OHSUGI Keishito Extract Granules G</b> Ohsugi Pharmaceutical Co., Ltd.	(61AM)3875 Oct 1986 Oct 1986	7.5	3.5	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-45	A	before or between meals, 2 or 3 times	500g 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	4.0	4.0	4.0	1.0	2.0
6	Revised: Aug 2017 (6th version)	<b>TEIKOKU Keishito Extract Granules</b> Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co.,Ltd.	(61AM)3685 Jul 1988 Jul 1988	7.5	2.21	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 45	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	4.0	4.0	4.0	1.5	2.0
7	Revised: Mar 2013 (5th version)	<b>TSUMURA Keishito Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)1140 Oct 1986 Oct 1986	7.5	3.0	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/45	A	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	4.0	4.0	4.0	1.5	2.0

Table of Indications

A	Symptoms in the early stage of common cold with a declined constitution
B	The following symptoms of those patients with slight fever and chills with spontaneous sweating: Common cold, headache, neuralgia, rheumatoid arthritis, muscular rheumatism, and neurasthenia