

076 Kyukikyogaito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio							
												Chidium Rhizome	Glycyrrhiza	Artemisia Leaf	Japanese Angelica Root	Pony Root	Rehmannia Root	Donkey Glue	Gelatin
1	Revised: Sep 2017 (3rd version)	JUNKOU Kyukikyogaito FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00416000 Oct 1986 Oct 1986	9.0	5.6	Corn Starch, Lactose Hydrate	Fine granules	FC 77	A	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)	3.0	3.0	3.0	4.0	4.0	5.0	3.0	
2	Revised: Jun 2013 (5th version)	Kotaro Kyukikyogaito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3823 Oct 1986 Oct 1986	15.0	7.0*	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N77	B	before or between meals, 2 or 3 times	500g 2.5g x 189 packets (472.5g)	3.0	3.0	3.0	4.5	4.5	6.0	3.0	
3	Revised: Mar 2013 (5th version)	TSUMURA Kyukikyogaito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3300 Oct 1986 Oct 1986	9.0	6.0	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/77	A	before or between meals, 2 or 3 times	500g 3.0g x 42 packets 3.0g x 189 packets	3.0	3.0	3.0	4.0	4.0	5.0	3.0	

*: extract weight without Gelatin

Table of Indications

A	Hemorrhoidal bleeding
B	The following symptoms of those patients with poor circulation and anemia due to excessive bleeding: Hemorrhoidal hemorrhage, bruise after trauma, hemorrhage after childbirth, and anemia