

077 Makyokansekitto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio			
												Ephedra Herb	Apricot Kernel	Glycyrrhiza	Gypsum
1	Revised: Jun 2009 (4th version)	Honzo Makyokansekitto Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4166 Apr 1989 Mar 1989	7.5	1.7	Magnesium Aluminometasilicate, Microcrystalline Cellulose, Croscarmellose Sodium Type A, Light Anhydrous Silicic Acid, Magnesium Stearate, Potato Starch, Lactose Hydrate	Granules	H55	A	before or between meals, 2 or 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	4.0	4.0	2.0	10.0
2	Revised: Mar 2022 (1st version of new form)	JUNKOU Makyokansekitto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00382000 - Oct 1986	4.5	2.25	Corn Starch, Lactose Hydrate	Fine granules	FC 55	A	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)	4.0	4.0	2.0	10.0
3	Revised: May 2008 (6th version)	Kotaro Makyokansekitto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3962 Oct 1986 Oct 1986	6.0	2.2	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N55	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	4.0	4.0	2.0	10.0
4	Revised: Apr 2016 (3rd version)	Matsuura Makyokansekitto Extract Granules Matsuura Yakugyo Co., Ltd.	(61AM)4043 Oct 1987 Oct 1987	4.5	1.9	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	55, Matsuura	A	before or between meals, 2 or 3 times	500g 1.5g x 84 packets 1.5g x 300 packets	4.0	4.0	2.0	10.0
5	Revised: Mar 2022 (1st version of new form)	OHSUGI Makyokansekitto Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	16100AMZ03891000 - Oct 1986	4.5	1.5	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-55	A	before or between meals, 2 or 3 times	500g [bottle] 441g(1.5g×294packets) 126g(1.5g×84packets)	4.0	4.0	2.0	10.0
6	Revised: Aug 2017 (6th version)	TEIKOKU Makyokansekitto Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3682 Jul 1988 Jul 1988	7.5	1.22	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 55	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	4.0	4.0	2.0	10.0
7	Revised: Sep 2007 (5th version)	TSUMURA Makyokansekitto Extract Granules for Ethical Use Tsumura & Co.	(61AM)3302 Oct 1986 Oct 1986	7.5	1.75	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/55	A	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	4.0	4.0	2.0	10.0

Table of Indications

A	Infantile asthma and bronchial asthma
B	The following symptoms of those patients with severe cough, sweating in the head at the time of attack accompanied by wheezing and thirst: Bronchitis and bronchial asthma