

079 Maobushisaishinto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio				
												Ephedra Herb	Asiasarum Root	Processed Aconite Root	Powdered Processed Aconite Root	Powdered Processed Aconite Root 2
1	Revised: Sep 2009 (9th version)	Kotaro Maobushisaishinto Extract Capsules Kotaro Pharmaceutical Co., Ltd.	(62AM)0056 Oct 1987 Oct 1987	1.68 (6 capsules)	1.2	Carmellose Calcium, Light Anhydrous Silicic Acid, Microcrystalline Cellulose, Synthetic Aluminum Silicate, Magnesium Stearate, Corn Starch, Hydroxypropyl Starch, Magnesium Aluminometasilicate Capsule Materials: Food Blue No.1, Food Yellow No.5, Titanium Oxide, Gelatin, Sodium Lauryl Sulfate	Capsules	NC127	B	before or between meals, 2 or 3 times	100 capsules (PTP) 300 capsules (PTP) 600 capsules (PTP)	4.0	3.0			1.0
2	Revised: Sep 2009 (9th version)	Kotaro Maobushisaishinto Extract Capsules Kotaro Pharmaceutical Co., Ltd. Fuso Pharmaceutical Industries Ltd.	(62AM)0056 Oct 1987 Oct 1995	1.68 (6 capsules)	1.2	Carmellose Calcium, Light Anhydrous Silicic Acid, Microcrystalline Cellulose, Synthetic Aluminum Silicate, Magnesium Stearate, Corn Starch, Hydroxypropyl Starch, Magnesium Aluminometasilicate Capsule Materials: Food Blue No.1, Food Yellow No.5, Titanium Oxide, Gelatin, Sodium Lauryl Sulfate	Capsules	FS127	B	before or between meals, 2 or 3 times	100 capsules (10 capsules x 10) 500 capsules (10 capsules x 50)	4.0	3.0			1.0
3	Revised: Mar 2018 (6th version)	SANWA Maobushisaishinto Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3615 Oct 1986 Nov 1986	4.5	1.5	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-08	A	before or between meals, 3 times	500g 1.5g x 300 packets	4.0	3.0	1.0		
4	Revised: Jul 2010 (6th version)	SANWA Maobushisaishinto Extract Fine Granules Sanwa Shoyaku Co., Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3615 Oct 1986 Nov 1986	4.5	1.5	JP Lactose Hydrate, JP Corn Starch, JP Microcrystalline Cellulose, JP Light Anhydrous Silicic Acid, Partly Pregelatinized Starch	Fine granules	(EK-127)	A	before or between meals, 3 times	500g 1.5g x 42 packets 1.5g x 294 packets	4.0	3.0	1.0		
5	Revised: Mar 2018 (6th version)	SANWA Maobushisaishinto Extract Fine Granules Sanwa Shoyaku Co., Ltd. Ohslugi Pharmaceutical Co., Ltd.	(61AM)3615 Oct 1986 Nov 1986	4.5	1.5	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	(SG-127)	A	before or between meals, 3 times	500g 441g (1.5g x 294 packets)	4.0	3.0	1.0		
6	Revised: Aug 2007 (7th version)	TSUMURA Maobushisaishinto Extract Granules for Ethical Use Tsumura & Co.	(62AM)693 Oct 1987 Oct 1987	7.5	1.5	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/127	C	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	4.0	3.0		1.0	

Table of Indications

A	The following symptoms of those patients with rigors, slight fever, general malaise, headache and dizziness with hypotension, and painfully cold limbs: Common cold, bronchitis, and coughing
B	The following symptoms of those patients with general malaise, lack of motivation, slight fever, and chills: Common cold and bronchitis
C	The following symptoms of those patients with rigors, slight fever, general malaise, headache and dizziness with hypotension, and painfully cold limbs: Common cold and bronchitis