

080 Maoto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio			
												Ephedra Herb	Cinnamon Bark	Apricot Kernel	Glycyrrhiza
1	Revised: Oct 2010 (5th version)	Honzo Maoto Extract Granules-S Honzo Pharmaceutical Co., Ltd.	(62AM)0485 Apr 1988 Mar 1988	7.5	1.92	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	H27	A	before or between meals, 2 or 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	5.0	4.0	5.0	1.5
2	Revised: Apr 2017 (4th version)	JUNKOU Maoto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00377000 Oct 1986 Oct 1986	4.5	2.25	Corn Starch, Lactose Hydrate	Fine granules	FC 27	A	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)	5.0	4.0	5.0	1.5
3	Revised: Oct 2010 (7th version)	Kotaro Maoto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3961 Oct 1986 Oct 1986	6.0	1.9	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N27	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	5.0	4.0	5.0	1.5
4	Revised: Mar 2015 (4th version)	Kracie Maoto Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)1153 Jul 2007 Jul 2007	6.0	1.6	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-27 3.0g EK-27 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0 x 42 packets 2.0g x 294 packets 500g	5.0	4.0	5.0	1.5
5	Revised: Aug 2017 (7th version)	TEIKOKU Maoto Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3702 Jul 1988 Jul 1988	7.5	1.81	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 27	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	5.0	4.0	5.0	1.5
6	Revised: Mar 2013 (8th version)	TSUMURA Maoto Extract Granules for Ethical Use Tsumura & Co.	(61AM)3274 Oct 1986 Oct 1986	7.5	1.75	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/27	C	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	5.0	4.0	5.0	1.5

Table of Indications

A	The following symptoms of those patients with rigor, fever, headache, and joint pain who are on the early stage of common cold: Common cold and coryza
B	The following symptoms of those patients with high fever and chills without spontaneous sweating accompanied by body pain and joint pain or cough and wheezing: Common cold, coryza, infantile nasal obstruction, and bronchial asthma
C	The following symptoms of those patients with rigors, fever, headache, low-back pain, and skin without a sticky feeling: Common cold, influenza (in the initial phase), rheumatoid arthritis, asthma, nasal obstruction in suckling infants, and suckling difficulties