

086 Ninjin'yoeito

| | Date of Making or Revision of Package Insert | Product Name Manufacturer Distributor | Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan | Dose for One Day (g) | Extract Content in One Day Dose (g) | Inactive Ingredients | Dosage Form | ID Code (Item Number, etc.) | Indications | Daily Dosage and Administration (Adult) | Packaging | Component Ratio | | | | | | | | | | | |
|---|--|---|---|----------------------------|--|--|------------------|-----------------------------------|-------------|---|--|-----------------|------------------------|------------|----------------|----------------------|-------------------|---------------|-----------------|--------------------|----------------|------------------|-------------|
| | | | | | | | | | | | | Ginseng | Japanese Angelica Root | Peony Root | Rehmannia Root | Atractylodes Rhizome | Portia Sclerotium | Cinnamon Bark | Astragalus Root | Citrus Unshiu Peel | Polygonum Root | Schisandra Fruit | Glycyrrhiza |
| 1 | Revised: Apr 2008 (5th version) | Kotaro Ninjin'yoeito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd. | (61AM)3817 Oct 1986 Oct 1986 | 15.0 | 9.2 | Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate | Fine granules | N108 | B | before or between meals, 2 or 3 times | 500g 2.5g x 189 packets (472.5g) | 3.0 | 4.0 | 2.0 | 4.0 | 4.0 | 4.0 | 2.5 | 1.5 | 2.0 | 2.0 | 1.0 | 1.0 |
| 2 | Revised: Jul 2010 (2nd version) | Kracie Ninjin'yoeito Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd. | (61AM)3510 Jul 2007 Jul 2007 | 7.5 | 6.7 | JP Magnesium Stearate, JP Light Anhydrous Silicic Acid, JP Microcrystalline Cellulose, Hydrated Silicon Dioxide | Fine granules | KB-108 3.75g EK-108 2.5g | A | before or between meals, 2 or 3 times | 3.75g x 28 packets 3.75g x 168 packets 2.5g x 42 packets 2.5g x 294 packets 500g | 3.0 | 4.0 | 2.0 | 4.0 | 4.0 | 4.0 | 2.5 | 1.5 | 2.0 | 2.0 | 1.0 | 1.0 |
| 3 | Oct 2005 (1st version) | OHSUGI Ninjin'yoeito Extract Granules G Ohsugi Pharmaceutical Co., Ltd. | (61AM)3871 Oct 1986 Oct 1986 | 12.0 | 6.9 | Lactose Hydrate, Corn Starch, Magnesium Stearate | Granules | SG-108 | A | before or between meals, 2 or 3 times | 500g 1,176g (4.0g x 294 packets) 336g (4.0g x 84 packets) | 3.0 | 4.0 | 2.0 | 4.0 | 4.0 | 4.0 | 2.5 | 1.5 | 2.0 | 2.0 | 1.0 | 1.0 |
| 4 | Revised: Mar 2013 (6th version) | TSUMURA Ninjin'yoeito Extract Granules for Ethical Use Tsumura & Co. | (61AM)3305 Oct 1986 Oct 1986 | 9.0 | 6.0 | JP Magnesium Stearate, JP Lactose Hydrate, | Granules | TSUMURA/108 | A | before or between meals, 2 or 3 times | 500g 3.0g x 42 packets 3.0g x 189 packets | 3.0 | 4.0 | 2.0 | 4.0 | 4.0 | 4.0 | 2.5 | 1.5 | 2.0 | 2.0 | 1.0 | 1.0 |

Table of Indications

| | |
|---|---|
| A | Declined constitution after recovery from disease, fatigue and malaise, anorexia, perspiration during sleep, cold limbs, and anemia |
| B | The following symptoms of those patients with ill complexion, thin body, slight fever, chills, persistent cough, severe malaise, anorexia, mental dysequilibrium, insomnia, night sweating, and tendency to constipation: Enhancement of physical strength after disease or childbirth and delicate constitution |