

088 Ogikenchuto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio								
												Cinnamon Bark	Cinnamon Twig	Ginger	Fresh Ginger	Jujube	Peony Root	Glycyrrhiza	Astragalus Root	Koi
1	Revised: Jan 2014 (5th version)	Toyo Ogikenchuto Extract Fine Granules Toyo Yakuko Co., Ltd.	(61AMY)0397 Oct 1986 Jan 1987	6.0	4.0	Corn Starch	Fine granules	TY-007	A	on empty stomach, 3 times	500g 2.0g x 252 packets	/	4.0	/	4.0	4.0	6.0	2.0	4.0	/
2	Revised: May 2007 (4th version)	TSUMURA Ogikenchuto Extract Granules for Ethical Use Tsumura & Co.	(62AM)579 Oct 1987 Oct 1987	18.0	4.75*	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/98	A	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 3.0g x 84 packets 3.0g x 189 packets	4.0	/	1.0	/	4.0	6.0	2.0	4.0	10.0

*: extract weight without Koi

Table of Indications

A	The following symptoms of those patients with a delicate constitution who are easily fatigued: Delicate constitution, weakness during convalescence, and night sweat
---	---