

090 Orengedokuto

No.	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio			
												Coptis Rhizome	Scutellaria Root	Phellodendron Bark	Gardenia Fruit
1	Revised: Feb 2018 (9th version)	Honzo Orengedokuto Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4149 Oct 1986 Oct 1986	7.5	1.3	Lactose Hydrate, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H15	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	1.5	3.0	1.5	2.0
2	Revised: Feb 2018 (9th version)	JPS Orengedokuto Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	61AM-4763 Oct 1987 Oct 1987	7.5	1.6	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-15)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	1.5	3.0	1.5	2.0
3	Revised: Feb 2018 (7th version)	JUNKOU Orengedokuto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00374000 Oct 1986 Oct 1986	4.5	1.25	Corn Starch, Lactose Hydrate	Fine granules	FC 15	A	before or between meals, 2 or 3 times	126g (1.5g x 84packets)	2.0	3.0	2.0	2.0
4	Revised: Feb 2018 (10th version)	Kotaro Orengedokuto Extract Capsules Kotaro Pharmaceutical Co., Ltd.	(61AM)4026 Oct 1986 Oct 1986	2.16 (6 capsules)	1.8	Carmellose Calcium, Light Anhydrous Silicic Acid, Microcrystalline Cellulose, Synthetic Aluminum Silicate, Magnesium Stearate, Corn Starch, Hydroxypropyl Starch, Magnesium Aluminometasilicate Capsule Materials: Food Blue No.1, Food Yellow No.5, Titanium Oxide, Gelatin, Sodium Lauryl Sulfate	Capsules	NC15	A	before or between meals, 2 or 3 times	300 capsules (PTP) 600 capsules (PTP) 450 capsules	1.5	3.0	1.5	2.0
5	Revised: Feb 2018 (10th version)	Kotaro Orengedokuto Extract Capsules Kotaro Pharmaceutical Co., Ltd. Fuso Pharmaceutical Industries Ltd.	(61AM)4026 Oct 1986 Sep 1992	2.16 (6 capsules)	1.8	Carmellose Calcium, Light Anhydrous Silicic Acid, Microcrystalline Cellulose, Synthetic Aluminum Silicate, Magnesium Stearate, Corn Starch, Hydroxypropyl Starch, Magnesium Aluminometasilicate Capsule Materials: Food Blue No.1, Food Yellow No.5, Titanium Oxide, Gelatin, Sodium Lauryl Sulfate	Capsules	FS15	A	before or between meals, 2 or 3 times	500 capsules (10 capsules x 50)	1.5	3.0	1.5	2.0
6	Revised: Feb 2018 (11th version)	Kotaro Orengedokuto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3807 Oct 1986 Oct 1986	6.0	1.8	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N15	A	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	1.5	3.0	1.5	2.0
7	Revised: Feb 2018 (7th version)	Kracie Orengedokuto Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3847 Jul 2007 Jul 2007	6.0	1.4	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-15 3.0g EK-15 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	1.5	3.0	1.5	2.0
8	Revised: Feb 2018 (7th version)	Kracie Orengedokuto Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00638000 Jul 2007 Jul 2007	5.94 (18 tablets)	1.6	JP Magnesium Stearate, JP Carmellose Calcium, JP Light Anhydrous Silicic Acid, JP Lactose Hydrate, JP Microcrystalline Cellulose	Tablets	(EKT-15)	A	before or between meals, 2 or 3 times	252 tablets (3 tablets x 6 packets x 14 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	1.5	3.0	1.5	2.0
9	Revised: Feb 2018 (5th version)	OHSUGI Orengedokuto Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3879 Oct 1986 Oct 1986	4.5	1.7	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-15	A	before or between meals, 2 or 3 times	500g 441g (1.5g x 294 packets) 126g (1.5g x 84 packets)	1.5	3.0	3.0	3.0
10	Jan 2019 (1st version)	OHSUGI Orengedokuto Extract T Tablets Ohsugi Pharmaceutical Co., Ltd.	(61AM)4189 Oct 1986 Oct 1986	4.65 (15 tablets)	1.7	Microcrystalline Cellulose, Magnesium Aluminometasilicate, Carmellose Calcium, Magnesium Stearate, Hypromellose, Titanium Oxide, Food Yellow No.5 Aluminium Lake, Food Blue No.1 Aluminium Lake, Food Red No.3 Aluminium Lake	Tablets (Film-coated tablets)	SG-15T	A	before or between meals, 2 or 3 times	1,470 tablets (5 tablets x 294 packets) 420 tablets (5 tablets x 84 packets)	1.5	3.0	3.0	3.0
11	Revised: Feb 2018 (8th version)	SANWA Orengedokuto Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3604 Oct 1986 Nov 1986	4.5	1.7	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-15	A	before or between meals, 3 times	500g 1.5g x 300 packets	1.5	3.0	1.5	2.0
12	Revised: Feb 2018 (9th version)	Taikodo Orengedokuto Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(61AM)3851 Oct 1986 Nov 1986	4.5	2.71	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-15	A	before or between meals, 3 times	500g 1.5g x 84 packets 1.5g x 336 packets	1.5	3.0	3.0	3.0
13	Revised: Feb 2018 (12th version)	TEIKOKU Orengedokuto Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3678 Oct 1987 Oct 1987	7.5	1.7	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 15	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	2.0	3.0	2.0	2.0
14	Revised: Feb 2018 (11th version)	Toyo Orengedokuto Extract Fine Granules Toyo Yakuko Co., Ltd.	(61AMY)0394 Oct 1986 Jan 1987	4.5	2.5	Corn Starch	Fine granules	TY-008	A	on empty stomach, 3 times	500g 1.5g x 336 packets	2.0	3.0	2.0	2.0
15	Revised: Feb 2018 (9th version)	TSUMURA Orengedokuto Extract Granules for Ethical Use Tsumura & Co.	(61AM)3278 Oct 1986 Oct 1986	7.5	1.5	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/15	A	before or between meals, 2 or 3 times	500g 5g (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	2.0	3.0	1.5	2.0

Table of Indications

A	The following symptoms of those patients who have rubby face with comparatively strong constitution, a touch of hot flushes, and a tendency to irritability: Nose bleeding, hypertension, insomnia, neurosis, gastritis, alcoholic hangover, climacteric disturbance and automatic imbalance syndrome, peculiar to women resembling climacteric disturbance, dizziness, and palpitation, eczema or dermatitis and pruritus cutaneous
---	---