

094 Rikkunshito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio									
												Ginseng	Atractyloides Rhizome	Atractyloides Lancea Rhizome	Poria Sclerotium	Pinelia Tuber	Citrus Urshutu Peel	Jujube	Glycyrrhiza	Ginger	Fresh Ginger
1	Revised: Apr 2014 (5th version)	Honzo Rikkunshito Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4134 Oct 1986 Oct 1986	7.5	3.6	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H43	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
2	Revised: Apr 2014 (9th version)	Kotaro Rikkunshito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3841 Oct 1986 Oct 1986	9.0	5.5	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N43	A	before or between meals, 2 or 3 times	500g 3.0g x 168 packets (504g) 3.0g x 42 packets (126g)	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
3	Revised: Apr 2014 (4th version)	Kracie Rikkunshito Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3512 Jul 2007 Jul 2007	6.0	4.1	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-43 3.0g EK-43 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
4	Revised: Apr 2016 (6th version)	Matsuura Rikkunshito Extract Granules Matsuura Yakugyo Co., Ltd.	(61AM)4170 Oct 1986 Oct 1986	6.0	Viscous extract 7.6*	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	43, Matsuura	A	before or between meals, 2 or 3 times	500g 2g x 84 packets 2g x 300 packets	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
5	Revised: Apr 2014 (2nd version)	OHSUGI Rikkunshito Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3899 Oct 1986 Oct 1986	7.5	4.4	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-43	A	before or between meals, 2 or 3 times	500g 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
6	Revised: Dec 2018 (7th version)	SANWA Rikkunshito Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3609 Oct 1986 Nov 1986	7.5	4.9	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-21	A	before or between meals, 3 times	500g 2.5g x 300 packets	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
7	Revised: Apr 2014 (6th version)	SANWA Rikkunshito Extract Fine Granules Sanwa Shoyaku Co., Ltd. JPS Pharmaceutical Co., Ltd.	(61AM)3609 Oct 1986 Nov 1986	7.5	4.9	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	(J-43)	A	before or between meals, 3 times	500g 750g (2.5g x 300 packets)	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
8	Revised: Aug 2017 (7th version)	TEIKOKU Rikkunshito Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3679 Oct 1987 Oct 1987	7.5	3.2	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 43	A	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	4.0	4.0	/	4.0	4.0	2.0	2.0	1.0	0.5	/
9	Revised: Apr 2014 (6th version)	Toyo Rikkunshito Extract Fine Granules Toyo Yakuko Co., Ltd.	(61AMY)0485 Oct 1987 Nov 1987	6.0	3.6	Corn Starch	Fine granules	TY-107	A	on empty stomach, 3 times	500g 2.0g x 252 packets	3.0	3.0	/	3.0	3.0	2.0	2.0	1.5	/	2.0
10	Revised: May 2020 (8th version)	TSUMURA Rikkunshito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3260 Oct 1986 Oct 1986	7.5	4.0	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/43	A	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	4.0	/	4.0	4.0	4.0	2.0	2.0	1.0	0.5	/

*: correspond to 3.8g of dry extract

Table of Indications

A	The following symptoms of those patients with weak stomach, loss of appetite and full stomach pit, and those who are easily fatigued, anemic and likely to have cold limbs: Gastritis, gastric atony, gastroparesis, maldigestion, anorexia, gastric pain, and vomiting
---	--