

097 Ryoikejutsukanto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio				
												Poria Sclerotium	Anacardios Rhizome	Actactydes Taraxac Rhizome	Cinnamon Bark	Cinnamon Twig
1	Revised: Jun 2009 (4th version)	Honzo Ryoikejutsukanto Extract Granules-M Honzo Pharmaceutical Co., Ltd.	(61AM)4137 Oct 1986 Oct 1986	7.5	1.6	Lactose Hydrate, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H39	A	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	6.0	3.0	4.0	4.0	2.0
2	Revised: Aug 2007 (4th version)	JPS Ryoikejutsukanto Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	61AM-4769 Oct 1987 Oct 1987	7.5	1.8	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose	Granules	(J-39)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	6.0	3.0	4.0	4.0	2.0
3	Revised: Feb 2017 (3rd version)	JUNKOU Ryoikejutsukanto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00361000 Oct 1986 Oct 1986	4.5	2.25	Corn Starch, Lactose Hydrate	Fine granules	FC 39	A	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)	6.0	3.0	4.0	4.0	2.0
4	Revised: Mar 2008 (5th version)	Kotaro Ryoikejutsukanto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3843 Oct 1986 Oct 1986	6.0	1.7	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N39	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	6.0	3.0	4.0	4.0	2.0
5	Revised: Jul 2010 (2nd version)	Kracie Ryoikejutsukanto Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3576 Jul 2007 Jul 2007	6.0	1.6	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-39 3.0g EK-39 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	6.0	3.0	4.0	4.0	2.0
6	Revised: Apr 2016 (3rd version)	Matsura Ryoikejutsukanto Extract Granules Matsura Yakugyo Co., Ltd.	(61AM)4335 Oct 1987 Oct 1987	4.5	Viscous extract 4.0*	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	39, Matsura	A	before or between meals, 2 or 3 times	500g 1.5g x 84 packets 1.5g x 300 packets	6.0	3.0	4.0	4.0	2.0
7	Jan 2012 (1st version)	OHSUGI Ryoikejutsukanto Extract Granules TG Takasago Pharmaceutical Industry Co., Ltd. Ohsugi Pharmaceutical Co., Ltd.	(61AM)4188 Oct 1986 Oct 1986	4.5	1.6	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	(SG-39)	A	before or between meals, 2 or 3 times	500g 441g (1.5g x 294 packets) 126g (1.5g x 84 packets)	6.0	3.0	4.0	4.0	2.0
8	Revised: Aug 2008 (2nd version)	SANWA Ryoikejutsukanto Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3621 Oct 1986 Nov 1986	4.5	1.7	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-16	C	before or between meals, 3 times	500g 1.5g x 300 packets	6.0	3.0	4.0	4.0	2.0
9	Revised: Oct 2010 (4th version)	Taikodo Ryoikejutsukanto Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(61AM)3909 Oct 1986 Nov 1986	6.0	2.56	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-39	A	before or between meals, 3 times	500g 2.0g x 84 packets 2.0g x 315 packets	6.0	3.0	4.0	4.0	2.0
10	Revised: Jan 2014 (5th version)	Toyo Ryoikejutsukanto Extract Fine Granules Toyo Yakuko Co., Ltd.	(61AMY)0393 Oct 1986 Dec 1986	6.0	3.0	Corn Starch	Fine granules	TY-110	A	on empty stomach, 3 times	500g 2.0g x 252 packets	6.0	3.0	4.0	4.0	2.0
11	Revised: May 2007 (4th version)	TSUMURA Ryoikejutsukanto Extract Granules for Ethical Use Tsumura & Co.	(61AM)1121 Oct 1986 Oct 1986	7.5	1.5	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/39	A	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	6.0	3.0	4.0	4.0	2.0

*: correspond to 2.0g of dry extract

Table of Indications

A	The following symptoms of those patients with dizziness, light-headed feeling, and palpitation accompanied by decreased urine volume: Nervousness, neurosis, dizziness, heart pounding, shortness of breath, and headache
B	The following symptoms of those patients with dizziness on standing up, dizziness, severe palpitation, hot flush, headache, slight flushed face, anemia, increased urinary frequency, decreased urinary output, and lip dry: Neurological increase in heart beat, neurosis, hyperemia, tinnitus, insomnia, abnormal blood pressure, cardiac debility, and kidney disease
C	The following symptoms of those patients with headache, dull headache, hot flushes, dizziness, orthostatic dizziness, palpitation and tachycardia accompanied by insomnia and anxiety who have a tendency to decrease the urine volume: Nervous tachycardia, heart valve disease, abnormal blood pressure, orthostatic dizziness, Meniere's syndrome, neurasthenia, and kidney disease