

104 Saikokeishito

No.	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio								
												Bupleurum Root	Pinellia Tuber	Cinnamon Bark	Pony Root	Scutellaria Root	Ginseng	Jujube	Glycyrrhiza	Ginger
1	Revised: Jun 2011 (5th version)	JPS Saikokeishito Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	61AM-4130 Oct 1986 Nov 1986	7.5	3.8	Magnesium Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	(J-10)	A	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	1.0
2	Revised: Oct 2016 (3rd version)	JUNKOU Saikokeishito FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00368000 Oct 1986 Oct 1986	6.0	3.35	Corn Starch, Lactose Hydrate	Fine granules	FC 10	A	before or between meals, 2 or 3 times	168g (2.0g x 84 packets)	5.0	4.0	2.5	2.5	2.0	2.0	2.0	1.5	1.0
3	Revised: Feb 2012 (8th version)	Kotaro Saikokeishito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	(61AM)3806 Oct 1986 Oct 1986	6.0	4.0	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminumsilicate	Fine granules	N10	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	0.5
4	Revised: Jan 2012 (3rd version)	Kracie Saikokeishito Extract Fine Granules Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)3509 Jul 2007 Jul 2007	6.0	4.0	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-10 3.0g EK-10 2.0g	A	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	0.5
5	Revised: Jan 2012 (3rd version)	Kracie Saikokeishito Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00618000 Jul 2007 Jul 2007	5.94 (18 tablets)	3.8	JP Sodium Lauryl Sulfate, JP Magnesium Stearate, JP Carmellose Calcium, JP Light Anhydrous Silicic Acid, JP Microcrystalline Cellulose, Magnesium Hydroxide-Aluminium Hydroxide Co-Precipitate	Tablets	(EKT-10)	A	before or between meals, 2 or 3 times	252 tablets (3 tablets x 6 packets x 14 sheets) 1,764 tablets (3 tablets x 6 packets x 98 sheets)	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	0.5
6	Revised: Apr 2016 (5th version)	Matsuura Saikokeishito Extract Granules Matsuura Yakugyo Co., Ltd.	(61AM)4337 Oct 1987 Oct 1987	6.0	viscous extract 6.6	Hypromellose, Magnesium Stearate, Lactose Hydrate, Dextrin, Corn Starch	Granules	10, Matsuura	A	before or between meals, 2 or 3 times	500g 2g x 84 packets 2g x 300 packets	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	1.0
7	Oct 2005 (1st version)	OHSUGI Saikokeishito Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	(61AM)3883 Oct 1986 Oct 1986	7.5	3.3	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-10	A	before or between meals, 2 or 3 times	500g 735g (2.5g x 294 packets) 210g (2.5g x 84 packets)	5.0	4.0	2.5	2.0	2.0	2.0	2.0	1.5	1.0
8	Revised: Mar 2018 (6th version)	SANWA Saikokeishito Extract Fine Granules Sanwa Shoyaku Co., Ltd.	(61AM)3603 Oct 1986 Nov 1986	7.5	4.3	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-24	C	before or between meals, 3 times	500g 2.5g x 300 packets	5.0	4.0	2.5	2.5	2.0	2.0	2.0	1.5	1.0
9	Revised: Jan 2011 (6th version)	Taikodo Saikokeishito Extract Granules Taikoseido Pharmaceutical Co., Ltd.	(61AM)3912 Oct 1986 Nov 1986	7.5	4.7	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-10	A	before or between meals, 3 times	500g 2.5g x 84 packets 2.5g x 252 packets	5.0	4.0	2.5	2.5	2.0	2.0	2.0	1.5	1.0
10	Revised: Aug 2017 (8th version)	TEIKOKU Saikokeishito Extract Granules Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(61AM)3670 Oct 1987 Oct 1987	9.0	4.42	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 10	A	before meals, 3 times	500g 3.0g x 42 packets 3.0g x 252 packets	5.0	4.0	2.5	2.5	2.0	2.0	2.0	1.5	1.0
11	Revised: Oct 2014 (8th version)	TSUMURA Saikokeishito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3268 Oct 1986 Oct 1986	7.5	4.0	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/10	D	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	5.0	4.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0

*: correspond to 3.3g of dry extract

Table of Indications

A	Gastroenteritis with abdominal pain, common cold with slight fever, rigor, headache, nausea, etc., and symptoms in the latter stage of common cold
B	The following symptoms of those patients with slight fever and chills accompanied by pressure in the chest or flank, headache, and joint pain with spontaneous sweating or stomachache, chest pain, nausea, severe abdominal pain, and decreased appetite: Common cold and pleuritis
C	The following symptoms of those patients with spontaneous sweating who have slight fever, rigor, pressure in the chest or flank, headache, joint pain, anorexia, diarrhea and nausea: Common cold, stomachache, abdominal pain, neuralgia, cholecystitis and hyperchylia
D	The following symptoms of those patients with fever, diaphoresis, rigors, physical pain, headache, and nausea: Febrile diseases, such as common cold, influenza, pneumonia, and pulmonary tuberculosis; and stomach pit tension pain, such as gastric ulcer, duodenal ulcer, cholecystitis, cholelithiasis, hepatic dysfunction, and pancreatitis