

106 Saireito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio											
												Bupleurum Root	Pinellia Tuber	Ginger	Scutellaria Root	Jujube	Ginseng	Glycyrrhiza	Alienna Tuber	Polyporus Sclerotium	Poria Sclerotium	Arachyloides Rhizome	Rhizome
1	Revised: Jan 2012 (3rd version)	Kracie Saireito Extract Fine Granules Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00629000 Jul 2007 Jul 2007	8.1	7.0	JP Magnesium Stearate, JP Light Anhydrous Silicic Acid, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-114 4.05g EK-114 2.7g	A	before or between meals, 2 or 3 times	4.05g x 28 packets 4.05g x 168 packets 2.7g x 42 packets 2.7g x 294 packets 500g	7.0	5.0	1.0	3.0	3.0	3.0	2.0	6.0	4.5	4.5	4.5	3.0
2	Revised: Mar 2013 (8th version)	TSUMURA Saireito Extract Granules for Ethical Use Tsumura & Co.	(61AM)3275 Oct 1986 Oct 1986	9.0	6.0	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/114	A	before or between meals, 2 or 3 times	500g 3.0g x 42 packets 3.0g x 189 packets	7.0	5.0	1.0	3.0	3.0	3.0	2.0	5.0	3.0	3.0	3.0	2.0

Table of Indications

A	The following symptoms of those patients with nausea, anorexia, thirst, and oliguria: Watery diarrhea, acute gastroenteritis, sunstroke, and edema
---	---