

129 Shohangekabukuryoto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio		
												Pinellia Tuber	Ginger	Poria Sclerotium
1	Revised: Jun 2009 (4th version)	<b>Honzo Shohangekabukuryoto Extract Granules-M</b> Honzo Pharmaceutical Co., Ltd.	(62AM)0545 Oct 1987 Oct 1987	7.5	1.4	Lactose Hydrate, Magnesium Aluminometasilicate, Magnesium Stearate	Granules	H21	A-1	before or between meals, 3 times	500g 2.5g x 294 packets 2.5g x 42 packets	6.0	1.5	5.0
2	Revised: May 2008 (4th version)	<b>Kotaro Shohangekabukuryoto Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)4739 Oct 1987 Oct 1987	6.0	1.2	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N21	B	before or between meals, 2 or 3 times	500g 2.0g x 231 packets (462g) 2.0g x 42 packets (84g)	5.0	1.3	5.0
3	Revised: Jul 2010 (2nd version)	<b>Kracie Shohangekabukuryoto Extract Fine Granules</b> Kracie Pharma, Ltd. Kracie Pharmaceutical, Ltd.	(61AM)4215 Jul 2007 Jul 2007	6.0	1.7	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-21 3.0g EK-21 2.0g	A-1	before or between meals, 2 or 3 times	3.0g x 28 packets 3.0g x 168 packets 2.0g x 42 packets 2.0g x 294 packets 500g	6.0	2.0	5.0
4	Oct 2005 (1st version)	<b>OHSUGI Shohangekabukuryoto Extract Granules G</b> Ohsugi Pharmaceutical Co., Ltd.	(02AM)0790 Jul 1992 Jul 1992	3.0	0.9	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-21	A-2	before or between meals, 2 or 3 times	500g 294g (1.0g x 294 packets) 84g (1.0g x 84 packets)	8.0	2.0	8.0
5	Revised: Aug 2017 (6th version)	<b>TEIKOKU Shohangekabukuryoto Extract Granules</b> Teikoku Kampo Seiyaku Co., Ltd. Teikoku Seiyaku Co., Ltd.	(62AM)0067 Oct 1987 Oct 1987	7.5	1.73	Lactose Hydrate, Microcrystalline Cellulose, Magnesium Stearate	Granules	TEIKOKU 21	A-1	before meals, 3 times	500g 2.5g x 42 packets 2.5g x 252 packets	8.0	1.5	5.0
6	Revised: Mar 2013 (5th version)	<b>TSUMURA Shohangekabukuryoto Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)1123 Oct 1986 Oct 1986	7.5	2.25	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/21	C	before or between meals, 2 or 3 times	500g 2.5g x 42 packets 2.5g x 189 packets	6.0	1.5	5.0

Table of Indications

A-1	Hyperemesis gravidarum, vomiting, and nausea
A-2	Hyperemesis gravidarum, nausea and vomiting
B	The following symptoms of those patients with vomiting with feeling of residual fluid in the stomach: Morning sickness and vomiting syndrome
C	The following symptoms of those patients with a moderately strong constitution: Hyperemesis gravidarum (morning sickness) and vomiting associated with other diseases (acute gastroenteritis, exudative pleurisy, wet beriberi, and empyema)