

133 Shosaikotokakikyosekko

| | Date of Making or Revision of Package Insert | Product Name Manufacturer Distributor | Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan | Dose for One Day (g) | Extract Content in One Day Dose (g) | Inactive Ingredients | Dosage Form | ID Code (Item Number, etc.) | Indications | Daily Dosage and Administration (Adult) | Packaging | Component Ratio | | | | | | | | |
|---|--|---|---|----------------------------|--|--|----------------|-----------------------------------|-------------|---|---|-----------------|------------------|--------|------------------|--------|---------|-------------|----------------|--------|
| | | | | | | | | | | | | Bupleurum Root | Piperithia Tuber | Ginger | Scutellaria Root | Jujube | Ginseng | Glycyrrhiza | Platyodon Root | Gypsum |
| 1 | Revised: Mar 2013 (6th version) | TSUMURA Shosaikotokakikyosekko Extract Granules for Ethical Use Tsumura & Co. | (61AM)3255 Oct 1986 Oct 1986 | 7.5 | 5.0 | JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids | Granules | TSUMURA/109 | A | before or between meals, 2 or 3 times | 500g 2.5g x 42 packets 2.5g x 189 packets | 7.0 | 5.0 | 1.0 | 3.0 | 3.0 | 3.0 | 2.0 | 3.0 | 10.0 |

Table of Indications

| | |
|---|--|
| A | The following symptoms accompanied by painful swollen throat: Tonsillitis and peritonsillitis |
|---|--|