

143 Tsudosan

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Listing in the NHI Reimbursement Price Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio									
												Japanese Angelica Root	Rhubarb	Anhydrous Sodium Sulfate	Immature Orange	Magnolia Bark	Crus. Ushishin Peel	Acheia Stem	Safflower	Sampun Wood	Glycyrrhiza
1	Revised: Oct 2016 (8th version)	<b>Kotaro Tsudosan Extract Fine Granules</b> Kotaro Pharmaceutical Co., Ltd.	(61AM)3828 Oct 1986 Oct 1986	12.0	6.5	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N105	A	before or between meals, 2 or 3 times	500g 4.0g x 147 packets (588g) 4.0g x 42 packets (168g)	3.0	3.0	1.8	3.0	2.0	2.0	2.0	2.0	2.0	2.0
2	Revised: Mar 2011 (5th version)	<b>Taikodo Tsudosan Extract Granules</b> Taikoseido Pharmaceutical Co., Ltd.	(61AM)3858 Oct 1986 Nov 1986	7.5	5.0	JP Lactose Hydrate, JP Magnesium Stearate	Granules	TM-105	A	before or between meals, 3 times	500g 2.5g x 84 packets 2.5g x 252 packets	3.0	3.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0
3	Revised: Jun 2009 (5th version)	<b>TSUMURA Tsudosan Extract Granules for Ethical Use</b> Tsumura & Co.	(61AM)1145 Oct 1986 Oct 1986	7.5	4.5	JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/105	A	before or between meals, 2 or 3 times	500g 5kg (500g x 10) 2.5g x 42 packets 2.5g x 189 packets	3.0	3.0	1.8	3.0	2.0	2.0	2.0	2.0	2.0	2.0

Table of Indications

A	The following symptoms of those patients with a comparatively strong constitution who have tenderness in the lower abdomen and are likely to have constipation: Menstrual irregularity, menalgia, climacteric disturbance, low back pain, constipation, bruise (contusion) , and symptoms associated with hypertension (headache, dizziness, and shoulder stiffness)
---	---