

## Indications

Following symptoms in persons with moderate or slightly poor physical strength:  
Frozen shoulder, neck stiffness, and shoulder pain.

## ! Caution for use

### To be avoided

Don't give this medicine to children under 3 months of age.

### Who should seek consultation

- The following persons should consult a physician, pharmacist or registered distributor before taking this medicine.
  - Persons undergoing medical treatment from a physician.
  - Pregnant women or women suspected of being pregnant.
  - Persons who is physically weak (declining of physical strength or constitutional weakness).
  - Persons with weak stomach and intestine who have a tendency to diarrhea.
  - Persons with excessive sweating.
  - Elderly persons.
  - Persons who have experienced rash, redness, itching, etc. due to medicines or something.
  - Persons with the following symptoms:  
Edema, difficulty or urination difficulty.
  - Persons diagnosed as having the following:  
Hypertension, heart disease, kidney disease, or thyroid disease.
- The following symptoms may be adverse reactions of this medicine. If any of the following symptoms occur, stop taking this medicine immediately and consult a physician, pharmacist or registered distributor with this instruction leaflet.

| Areas                   | Symptoms                           |
|-------------------------|------------------------------------|
| Skin                    | Rash, redness, itching             |
| Gastrointestinal system | Loss of appetite, gastric distress |

- Stop taking this medicine and consult a physician, pharmacist or registered distributor with this leaflet, if symptoms do not improve after taking this medicine for about 1 month.

## Components

Dokkatsukakkonto (独活葛根湯) is extract from mixture of the following crude drugs;  
Pueraria Root (葛根), Cinnamon Bark (桂皮), Peony Root (芍薬), Ephedra Herb (麻黄), Aralia Rhizome (独活),  
Ginger (生姜) Jujube (大棗), Glycyrrhiza (甘草), Rehmannia Root (地黄) .

